



2023

DRIVE TO THE TOP

Annual Report:

Implementing Strategies Towards Improving Health

Montgomery County, Tennessee

MONTGOMERY COUNTY, TENNESSEE
2023 Drive to the Top

Health Outcomes		Length of Life	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Premature Death</p> <p>Years of potential life lost before age 75 per 100,000 population (age-adjusted)</p> <p>17 Hamilton 9497.6 8762.3 735.3 ↑Bad ↓Good 9,900 5,600</p> <p>To close the gap of 735.3 years of potential life lost (YPLL) per 100,000, implement strategies that result in every person under age 75 living 65 hours closer to age 75.</p> <p>Source National Center for Health Statistics - Mortality files Year(s) 2018-2020</p>							
		Quality of Life	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Poor or Fair Health</p> <p>Percentage of adults reporting fair or poor health (age-adjusted)</p> <p>11 Davidson 14.9% 14.7% 0.2 (1.3%) ↑Bad ↓Good 16% 15%</p> <p>Implement strategies that result in improving the general health for 2 out of every 100 adults reporting that their health was fair or poor.</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2020</p>							
		Quality of Life	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Poor Physical Health Days*</p> <p>Average number of physically unhealthy days reported in past 30 days (age-adjusted)</p> <p>7 Rutherford 3.3 Days 3.2 Days 0.1 Days ↑Bad ↓Good 3.3 2.7</p> <p>Implement strategies that result in reducing the number of poor physical health days reported by residents by 2 hours and 24 minutes per month.</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2020</p>							
		Quality of Life	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Poor Mental Health Days</p> <p>Average number of mentally unhealthy days reported in past 30 days (age-adjusted)</p> <p>8 Maury 5.0 Days 4.9 Days 0.1 Days ↑Bad ↓Good 5.0 4</p> <p>Implement strategies that result in reducing the number of poor mental health days reported by 2 hours and 24 minutes per month.</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2020</p>							
		Quality of Life	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Low Birthweight</p> <p>Percentage of live births with low birthweight (< 2,500 grams)</p> <p>26 McNairy 8.2% 7.7% 0.5 (6.1%) ↑Bad ↓Good 9% 6%</p> <p>Implement strategies that result in reducing low birth weights by 7 for every 100 live births where the infant weighed less than 2,500 grams (approximately 5 lbs, 8 oz).</p> <p>Source National Center for Health Statistics - Natality files Year(s) 2014-2020</p>							
Health Factors		Health Behaviors	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Adult Smoking</p> <p>Percentage of adults who are current smokers (age-adjusted)</p> <p>8 Shelby 20.0% 18.6% 1.4 (7.0%) ↑Bad ↓Good 20% 15%</p> <p>Implement strategies that result in 7 out of every 100 current adult smokers quitting smoking.</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2020</p>							
		Health Behaviors	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Adult Obesity</p> <p>Percentage of the adult population (age 20 and older) that reports a body mass index (BMI) greater than or equal to 30 kg/m2</p> <p>54 Moore 38.0% 35.0% 3.0 (7.9%) ↑Bad ↓Good 36% 30%</p> <p>For every 100 adults that are currently obese implement strategies that result in 8 reducing their BMI below 30kg/m2.</p> <p>Source United States Diabetes Surveillance System Year(s) 2020</p>							
		Health Behaviors	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (10th percentile)
			<p>Food Environment Index</p> <p>Index of factors that contribute to a healthy food environment, from 0 (worst) to 10 (best)</p> <p>70 Loudon 6.7 8.0 1.3 (19.4%) ↑Good ↓Bad 6.1 8.7</p> <p>Implement strategies that increase the county's food environment index score by 19.4% from 6.7 to 8.0.</p> <p>Source USDA Food Environment Atlas, Map the Meal Gap Year(s) 2019-2020</p>							

All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's 2023 *County Health Rankings and Roadmaps* report. Action statements represent the absolute value and use the following formula: ["Value" - "10th, 5th, or 1st Ranked Value"]. The percentage difference statements represent the absolute value and use the following formula: ["Value" - "10th, 5th, or the 1st Ranked Value" / "Value"]. The action statements are based on the assumption that no new additional poor health associated with the measure occurs. **Therefore, all rankings and action statements presented in this report must be interpreted with caution due to the various limitations of each measurement. Further information with regards to the strengths and limitations of each measure may be found in the description of each measure at <https://www.countyhealthrankings.org/>.**

Health Factors	Health Behaviors	Health Behaviors							Top Performers in U.S. (Top 10th percentile)
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	
Health Factors	Physical Inactivity Percentage of adults age 20 and over reporting no leisure-time physical activity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		17	Sumner	24.8%	23.8%	1.0 (4.0%)	↑Bad ↓Good	24%	19%
		For every 100 adults that reported no leisure-time physical activity in the past month, implement strategies that result in 4 becoming physically active monthly.							
		Source	Behavioral Risk Factor Surveillance System				Year(s)	2020	
	Access to Exercise Opportunities Percentage of the population with adequate access to locations for physical activity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		19	Madison	65.5%	77.4%	11.9 (18.2%)	↑Good ↓Bad	68%	90%
		For every 100 people that do not live reasonably close to a park or recreational facility, implement strategies that result in 19 improving their access to exercise opportunities.							
		Source	Business Analyst, Delorme, ESRI, & US Census Tigerline Files				Year(s)	2022 & 2020	
	Excessive Drinking Percentage of adults reporting binge or heavy drinking (age-adjusted)	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		5	Haywood	14.8%	13.3%	1.5 (10.1%)	↑Bad ↓Good	17%	15%
		Implement strategies that result in 11 out of every 100 adults in the county who reported binge or heavy drinking to stop drinking more than four drinks (women) or more than five drinks (men) during a single occasion. Heavy drinking is defined as more than one drink (women) or more than two drinks (men) per day on average.							
		Source	Behavioral Risk Factor Surveillance System				Year(s)	2020	
	Alcohol-Impaired Driving Deaths Percentage of driving deaths with alcohol involvement	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		77	Rhea	34.1%	13.6%	20.5 (60.1%)	↑Bad ↓Good	27%	10%
		Implement strategies that result in a 60.1% drop in the number of alcohol-related driving deaths.							
		Source	Fatality Analysis Reporting System				Year(s)	2016-2020	
	Sexually Transmitted Infections Number of newly diagnosed chlamydia cases per 100,000 population	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		95	Morgan	1035.9	214.9	821.0	↑Bad ↓Good	481.3	152.4
Implement strategies that result in the drop of 2,165 infections of Chlamydia in the county to fewer than 450 infections.									
Source		National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention				Year(s)	2020		
Teen Births Number of births per 1,000 female population ages 15-19	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)	
	32	Franklin	27.4	22.1	5.3 (19.3%)	↑Bad ↓Good	27	11	
	For every 100 female teens (ages 15 to 19 years) in the county, implement strategies that result in 20 fewer teen pregnancies.								
	Source	National Center for Health Statistics - Natality files				Year(s)	2014-2020		
Clinical Care	Uninsured Percentage of the population under age 65 without health insurance	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		2	Williamson	9.5%	7.1%	3.0 (32.3%)	↑Bad ↓Good	12%	6%
		For every 100 adults ages 18-64 without health insurance, implement strategies that result in 26 obtaining health insurance.							
		Source	Small Area Health Insurance Estimates				Year(s)	2020	
	Primary Care Physicians Ratio of population to primary care physicians	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		37	Claiborne	2381:1	1601:1	780:1	↑Bad ↓Good	1,400:1	1020:1
		To reach a population-to-provider ratio at or exceeding that of the 10th-ranking county, implement strategies that result in 30 additional primary care providers.							
		Source	Area Health Resource File/American Medical Association				Year(s)	2020	
	Dentists Ratio of population to dentists	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		29	Madison	2326:1	1432:1	894:1	↑Bad ↓Good	1,790:1	1200:1
		To reach a population-to-provider ratio at or exceeding that of the 10th-ranking county, implement strategies that result in 38 additional dental care providers.							
		Source	Area Health Resource File/American Medical Association				Year(s)	2021	

Health Factors	Clinical Care	Mental Health Providers							Top Performers in U.S. (Top 10th percentile)
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	
		11	Coffee	468:1	458:1	10:1	↑Bad ↓Good	560:1	240:1
		Ratio of population to mental health providers							
		To reach a population-to-provider ratio at or exceeding the 10th-ranking county, implement strategies that result in 11 additional mental health providers.							
		Source			CMS, National Provider Identification file		Year(s)		2022
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		54	Lincoln	3278	2605	673 (20.5%)	↑Bad ↓Good	3,161	1,666
		Rate of hospital stays for ambulatory-care sensitive conditions per 100,000 Medicare enrollees							
		Implement strategies that result in 20.5% fewer Medicare enrollee hospitalizations for ambulatory-care sensitive conditions.							
		Source			Mapping Medicare Disparities Tool		Year(s)		2020
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Tie 66	Madison	32%	43%	11 (34.4%)	↑Good ↓Bad	38%	47%
		Percentage of female Medicare enrollees ages 65-74 that received an annual mammography screening							
		Implement strategies that result in screenings for 35 out of 100 female Medicare enrollees that did not receive mammography screening.							
		Source			Mapping Medicare Disparities Tool		Year(s)		2020
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Tie 51	Dickson	47%	55%	8 (17 %)	↑Good ↓Bad	52%	57%
		Percentage of fee-for-service (FFS) Medicare enrollees that had an annual flu vaccination							
		Implement strategies that result in 17% more Medicare enrollees receiving their annual flu vaccination.							
		Source			Mapping Medicare Disparities Tool		Year(s)		2020
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		2	Williamson	93.6%	95.8%	2.2 (2.4%)	↑Good ↓Bad	89%	94%
		Percentage of adults ages 25 and over with a high school diploma or equivalent							
		For every 100 adults age 25 and over without a high school diploma or equivalent, implement strategies that result in 3 earning their high school diploma or equivalent.							
		Source			data.gov, supplemented w/ National Center for Education Statistics		Year(s)		2017-2021
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		5	Williamson	71.5%	87.1%	15.6 (21.8%)	↑Good ↓Bad	63%	74%
		Percentage of adults ages 25-44 with some post-secondary education							
		For every 100 adults between 25-44 years of age with no post-secondary education, implement strategies that result in 22 completing some post-secondary, vocational, or technical coursework.							
		Source			American Community Survey		Year(s)		2017-2021
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		63	Dickson	4.5%	3.4%	1.1 (24.4%)	↑Bad ↓Good	4.3%	2.8%
		Percentage of the population ages 16 and older unemployed but seeking work							
		For every 100 people ages 16 years and older who are unemployed but available and seeking work, implement strategies that result in 25 successfully gaining employment.							
		Source			Bureau of Labor Statistics		Year(s)		2021
		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		9	Knox	14.5%	12.6%	1.9 (13.1%)	↑Bad ↓Good	18%	11%
		Percentage of people under age 18 in poverty							
		For every 100 children (under age 18 years) in poverty, implement strategies that result in 14 children whose household income is not below the poverty level.							
		Source			Small Area Income and Poverty Estimates		Year(s)		2021
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		4	Bedford	3.8	3.5	0.3 (7.9%)	↑Bad ↓Good	4.6	3.7
		Ratio of household income at the 80th percentile to income at the 20th percentile							
		Implement strategies that reduce the ratio gap between the 80th and 20th household income percentiles by 7.9%.							
		Source			American Community Survey		Year(s)		2017-2021

Health Factors	Social & Economic Factors	Children in Single-Parent Households	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Percentage of children that live in a household headed by a single parent	54	Union	26.0%	17.3%	8.7 (33.5%)	↑Bad ↓Good	28%	13%
Implement strategies that result in an increase of multi-parent households and reduce single-parent households by 33.5%.										
Source			American Community Survey			Year(s)		2017-2021		
Health Factors	Social & Economic Factors	Social Associations	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Number of membership associations per 10,000 population	76	Hardeman	6.5	13.7	7.2 (111%)	↑Good ↓Bad	11.1	17.7
Implement strategies that result in a 111% increase or 155 additional membership associations in the county.										
Source			County Business Patterns			Year(s)		2020		
Health Factors	Social & Economic Factors	Injury Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Number of deaths due to injury per 100,000 population	21	Dyer	91.1	83.2	7.9 (8.7%)	↑Bad ↓Good	100	61
Implement strategies that result in 8.7% fewer deaths from intentional (e.g., homicide or suicide) and unintentional (e.g., motor vehicle deaths or poisoning) injuries.										
Source			C WONDER mortality data			Year(s)		2016-2020		
Health Factors	Physical Environment	Air Pollution - Particulate Matter	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)	Tie 58	Perry	7.8	6.9	0.9 (11.5%)	↑Bad ↓Good	7.6	5.0
Implement strategies that lower the average daily measure of fine particulate matter by 11.5% or 0.9 micrograms per cubic meter (PM2.5).										
Source			CDC WONDER Environmental data			Year(s)		2019		
Health Factors	Physical Environment	Drinking-Water Violations	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Indicator of the presence of health-related drinking water violations. 'Yes' indicates the presence of a violation, 'No' indicates no violation	Tie 95th			0	0	↑Bad ↓Good	N/A	N/A
Implement strategies that prevent people from exposure to health-based violations in public water systems.										
Source			Safe Drinking Water Information System			Year(s)		2021		
Health Factors	Physical Environment	Severe Housing Problems	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, lack of kitchen facilities, or lack of plumbing facilities	76	McNairy	13.3%	9.5%	3.8 (28.6%)	↑Bad ↓Good	13%	9%
For every 100 households in the county experiencing severe housing problems, implement strategies that result in 29 fewer households with one or more severe housing problems. (Housing unit lacks complete kitchen facilities, lacks complete plumbing facilities, household is overcrowded or severely cost burdened.)										
Source			Comprehensive Housing Affordability Strategy (CHAS) data			Year(s)		2015-2019		
Health Factors	Physical Environment	Driving Alone to Work	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Percentage of the workforce that drives alone to work	58	Grainger	84.2%	78.4%	5.8 (6.9%)	↑Bad ↓Good	80%	71%
For every 100 persons who drive alone to work, implement strategies that result in 7 carpooling or taking mass- transportation.										
Source			American Community Survey			Year(s)		2017-2021		
Health Factors	Physical Environment	Long Commute - Driving Alone	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	Tennessee	Top Performers in U.S. (Top 10th percentile)
		Among workers who commute in their car alone, the percentage that commutes more than 30 minutes	28	Sullivan	34.1%	25.5%	8.6 (25.2%)	↑Bad ↓Good	36%	17%
For every 100 persons driving more than 30 minutes alone to work, implement strategies that result in 26 carpooling or taking mass transportation.										
Source			American Community Survey			Year(s)		2017-2021		

Ranked Measure Sources Years

Focus Area	Measure	Description	Weight	Source	Year(s)	Top Performers	US Overall
HEALTH OUTCOMES							
Length of Life	Premature death*	Years of potential life lost before age 75 per 100,000 population (age-adjusted).	50%	National Center for Health Statistics - Mortality Files	2018-2020	5,600	7,300
Quality of Life	Poor or fair health‡	Percentage of adults reporting fair or poor health (age-adjusted).	10%	Behavioral Risk Factor Surveillance System	2020	11%	12%
	Poor physical health days‡	Average number of physically unhealthy days reported in past 30 days (age-adjusted).	10%	Behavioral Risk Factor Surveillance System	2020	2.7	3
	Poor mental health days‡	Average number of mentally unhealthy days reported in past 30 days (age-adjusted).	10%	Behavioral Risk Factor Surveillance System	2020	4	4.4
	Low birthweight*	Percentage of live births with low birthweight (< 2,500 grams).	20%	National Center for Health Statistics - Natality files	2014-2020	6%	8%
HEALTH FACTORS							
HEALTH BEHAVIORS							
Tobacco Use	Adult smoking‡	Percentage of adults who are current smokers (age-adjusted).	10%	Behavioral Risk Factor Surveillance System	2020	15%	16%
Diet and Exercise	Adult obesity‡	Percentage of the adult population (age 18 and older) that reports a body mass index (BMI) greater than or equal to 30 kg/m2 (age-adjusted).	5%	Behavioral Risk Factor Surveillance System	2020	30%	32%
	Food environment index	Index of factors that contribute to a healthy food environment, from 0 (worst) to 10 (best).	2%	USDA Food Environment Atlas, Map the Meal Gap from Feeding America	2019 & 2020	8.7	7
	Physical inactivity‡	Percentage of adults age 18 and over reporting no leisure-time physical activity (age-adjusted).	2%	Behavioral Risk Factor Surveillance System	2020	19%	22%
	Access to exercise opportunities	Percentage of population with adequate access to locations for physical activity.	1%	Business Analyst, ESRI, YMCA & US Census Tigerline Files	2022 & 2020	90%	84%
Alcohol and Drug Use	Excessive drinking‡	Percentage of adults reporting binge or heavy drinking (age-adjusted).	2.5%	Behavioral Risk Factor Surveillance System	2020	15%	19%
	Alcohol-impaired driving deaths	Percentage of driving deaths with alcohol involvement.	2.5%	Fatality Analysis Reporting System	2016-2020	10%	27%
Sexual Activity	Sexually transmitted infections	Number of newly diagnosed chlamydia cases per 100,000 population.	2.5%	National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	2020	152.4	481.3
	Teen births*	Number of births per 1,000 female population ages 15-19.	2.5%	National Center for Health Statistics - Natality files	2014-2020	11	19
CLINICAL CARE							
Access to Care	Uninsured	Percentage of population under age 65 without health insurance.	5%	Small Area Health Insurance Estimates	2020	6%	10%
	Primary care physicians	Ratio of population to primary care physicians.	3%	Area Health Resource File/American Medical Association	2020	1,020:1	1,310:1
	Dentists	Ratio of population to dentists.	1%	Area Health Resource File/National Provider Identification file	2021	1,200:1	1,380:1
	Mental health providers	Ratio of population to mental health providers.	1%	CMS, National Provider Identification	2022	240:1	340:1
Quality of Care	Preventable hospital stays*	Rate of hospital stays for ambulatory-care sensitive conditions per 100,000 Medicare enrollees.	5%	Mapping Medicare Disparities Tool	2020	1,666	2,809
	Mammography screening*	Percentage of female Medicare enrollees ages 65-74 that received an annual mammography screening.	2.5%	Mapping Medicare Disparities Tool	2020	47%	37%
	Flu vaccinations*	Percentage of fee-for-service (FFS) Medicare enrollees that had an annual flu vaccination.	2.5%	Mapping Medicare Disparities Tool	2020	57%	51%

Ranked Measure Sources Years

Focus Area	Measure	Description	Weight	Source	Year(s)	Top Performers	US Overall
SOCIAL & ECONOMIC FACTORS							
Education	High school completion	Percentage of adults ages 25 and over with a high school diploma or equivalent.	5%	American Community Survey, 5-year estimates	2017-2021	94%	89%
	Some college	Percentage of adults ages 25-44 with some post-secondary education.	5%	American Community Survey, 5-year estimates	2017-2021	74%	67%
Employment	Unemployment	Percentage of population ages 16 and older unemployed but seeking work.	10%	Bureau of Labor Statistics	2021	2.80%	5.40%
Income	Children in poverty*	Percentage of people under age 18 in poverty.	7.5%	Small Area Income and Poverty Estimates	2021	11%	17%
	Income inequality	Ratio of household income at the 80th percentile to income at the 20th percentile.	2.5%	American Community Survey, 5-year estimates	2017-2021	3.7	4.9
Family and Social Support	Children in single-parent households	Percentage of children that live in a household headed by a single parent.	2.5%	American Community Survey, 5-year estimates	2017-2021	13%	25%
	Social associations	Number of membership associations per 10,000 population.	2.5%	County Business Patterns	2020	17.7	9.1
	Injury deaths*	Number of deaths due to injury per 100,000 population.	5%	National Center for Health Statistics - Mortality Files	2016-2020	61	76
PHYSICAL ENVIRONMENT							
Air and Water Quality	Air pollution - particulate matter	Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5).	2.5%	Environmental Public Health Tracking Network	2019	5	7.4
	Drinking water violations+	Indicator of the presence of health-related drinking water violations. 'Yes' indicates the presence of a violation, 'No' indicates no violation.	2.5%	Safe Drinking Water Information System	2021		
Housing and Transit	Severe housing problems	Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, lack of kitchen facilities, or lack of plumbing facilities.	2%	Comprehensive Housing Affordability Strategy (CHAS) data	2015-2019	9%	17%
	Driving alone to work*	Percentage of the workforce that drives alone to work.	2%	American Community Survey, 5-year estimates	2017-2021	71%	73%
	Long commute - driving alone	Among workers who commute in their car alone, the percentage that commutes more than 30 minutes.	1%	American Community Survey, 5-year estimates	2017-2021	17%	37%

*Indicates subgroup data by race and ethnicity is available; + Not available in all states.